




Giant Line

M1350-1650


With this you can do everything!




**Flexibility of configuration,
the choice is yours!**




CONFIGURATION FROM 2 TO 4 UNITS




Gruppo operatore Rullo
Working unit roller
Unidad de trabajo de rodillo




Gruppo spazzola
Brushing unit
Cepillo limpiador




Gruppo spazzole tangenziali 1x
Tangential brushes unit 1x
Cepillos de disco 1x



Gruppo spazzole tangenziali 2x
Tangential brushes unit 2x
Cepillos de disco 2x



Sistema planetario
Planetary system
Sistema planetario



Gruppo spazzola Ø200
Brushing unit Ø200
Cepillo limpiador Ø200



Gruppo spazzola Ø150
Brushing unit Ø150
Cepillo limpiador Ø150



Turbo-soffiatori
Turbo rotating blowers
Sopladores rotativo



Soffiatore compatto
Compact blower
Soplador compacto




Gruppo operatore Rullo
Working unit roller
Unidad de trabajo de rodillo

Ø250

Ø330



Grit-set elettronico
Electronic grit-set
Grit-set electrónico




Gruppo spazzola
longitudinale
Longitudinal brush unit
Unidad de cepillo
longitudinal

Ø250

Ø350


REVOLUTION BRUSH



Gruppo spazzole tangenziali / sistema
planetario
Tangential brushes unit / planetary system
Unidad de cepillos tangencial / sistema
planetario



Spazzole tangenziali con cambio rapido
*Tangential brushes with quick
change device*
Cepillos tangenciales con dispositivo
de cambio rápido



**PLASMA
BRUSH**


Heavy duty machine

Giant Line

M1350-1650



**Flexibility of configuration,
the choice is yours!**



Spazzola pulizia pezzi
Brush for panels cleaning
Cepillo de limpieza piezas




Doppia spazzola uscita
Double external brush unit
Doble unidad de cepillo en la salida

Spazzola pulizia tappeto
Brush for feed belt cleaning
Cepillo de limpieza transportador



Rettificatore spazzola integrato
Integrated brush rectifier
Rectificador de cepillo integrado




Depressore interno
(taratura variabile, inverter)
Internal vacuum fan
(setting variable, inverter)
Ventilador de aspiración del vacío interno
(ajuste variable, inverter)


Pista magnetica
Magnetic band
Banda magnética




Rulliere di estensione
Rollers table extension
Extensión de mesa, rodillos



Tavolo di estensione
Extension table
Tabla de extension



Soffiatore compatto
Compact belts blower
Sopladores compacto



Luci controllo qualità
Quality control special lights
Luces especiales control de calidad

Turbo-soffiatori
Turbo rotating blowers
Sopladores rotativo



Macchina versione
sinistra e destra
*Machine version left
and right*
Máquina en versión
izquierda y derecha



Quadro di controllo
pensile
*Pendulum electronic
control unit*
Unidad de control
electrónico
en el brazo giratorio



Posizionatore
automatico
*Automatic
positioner*
Posicionador
automático



Personalizzazione macchina con
controllo remoto, visualizzazione
statistiche ed assistenza virtuale
*Custom machine with remote
control, statistics display
and virtual assistance*
Máquina personalizada con
control remoto, visualización de
estadísticas y asistencia virtual

INDUSTRY 4.0 READY


Acciai
Steel
Acero

Acciai inossidabili
Stainless steel
Acero inoxidable

Alluminio
Aluminum
Aluminio


Materiali avanzati
Advanced materials
Materiales avanzados

CONFIGURATION FROM 2 TO 4 UNITS



MACCHINA BASE
BASIC MACHINE
MÁQUINA BÁSICA

- ✓ Versione a 2/3/4 operatori
Version 2/3/4 operators
Versión 2/3/4 operadores
- ✓ Altezza fissa 900mm
Fixed height 900mm
Altura fija 900 mm
- ✓ Larghezza utile di lavoro 1350-1650mm
Working width 1350-1650mm
Ancho de trabajo 1350-1650mm
- ✓ Spessore di lavoro min/max 0.5-170/200mm
Working thickness min/max 0.5-170/200mm
Grosor del trabajo min/max 0.5-170/200mm
- ✓ Dimensione nastri abrasivi (sviluppo) 2620mm
Abrasive belt (length) 2620mm
Dimensiones bandas lijadora 2620mm
- ✓ Inverter controllo velocità avanzamento
Inverter for feed speed control
Inverter por el control de velocidad de avance
- ✓ Teleassistenza
Teleservice
Teleservicio



Giant M1350-1650

Layout dedicato
Dedicated layout
Diseño dedicado



Need Help?

No problem. Just connect the electronic cable we gave you to the machine. EMC technician will do the rest of the job.

**"Look no further for a better finishing!
We have what you're looking for.
Make your choice".**



Via Brodolini, 23 - 40026 Imola (Bo) Italy
Tel. +39 0542 688034 - Fax +39 0542 643959
E-mail: info@emc-italia.it



@emcrealfinishing



emcsrl

www.emc-italia.it